

FEATURES AND OPTIONS - 5000 SERIES

● = Standard ● = Optional

Features and options*	5900/24R 30"	5900/16R 30"	5900/12R 30"	5700/36R 20"	5700/24R 30"	5700/24R 20"	5670/16R 30"	5670/12R 30"	5670/31R 15"	5670/23R 15"
Planter frame and toolbar	Front fold	Front fold	Front fold	Front fold	Front fold	Front fold	Pivot fold	Pivot fold	Pivot fold	Pivot fold
Sections	3	3	3	3	3	3	3	3	3	3
Flexibility - Wing Flex	21° Up / 21° Down	21° Up / 21° Down	21° Up / 21° Down	15° Up / 15° Down	15° Up / 15° Down	15° Up / 15° Down	15° Up / 15° Down	15° Up / 12° Down	15° Up / 15° Down	15° Up / 12° Down
Split rows	—	—	—	—	—	—	—	—	●	●
Even row split row	—	—	—	—	—	—	—	—	●	●
Row markers	●	●	●	●	●	●	●	●	●	●
Flip axle	●	—	—	—	—	—	—	—	—	—
Active hydraulic weight transfer	●	●	●	●	●	●	●	●	●	●
Number of rows per wing	8	5	3	12	8	8	5	4	9	7
CAT 4 drawbar with articulating swivel hitch	●	●	●	●	●	●	●	●	●	●
CAT 5 drawbar with articulating swivel hitch	—	—	—	●	●	●	—	—	—	—
2-point hitch adapter	●	●	●	—	—	—	●	●	●	●
Variable displacement piston PTO hydraulic pump	●	●	●	●	●	●	●	●	●	●
VF Center Tires	●	●	—	●	●	—	●	●	●	●
VF Wing Tires	●	—	—	—	—	—	●	●	●	●
Transmission and drive system										
Blue Drive electric drive	●	●	●	●	●	●	●	●	●	●
Seed handling										
Bulk fill hoppers - total capacity	120 bu.	80 bu.	80 bu.	120 bu.	120 bu.	120 bu.	120 bu.	80 bu.	120 bu.	80 bu.
Bulk fill scale package	●	●	●	●	●	●	●	●	●	●
Displays and control										
Blue Vantage display	●	●	●	●	●	●	●	●	●	●
Ag Leader 7500 GPS Receiver	●	●	●	●	●	●	●	●	●	●
Metering										
True Speed high speed meter	●	●	●	●	●	●	●	●	●	●
True Rate vacuum meter	●	●	●	●	●	●	●	●	●	●
Down pressure										
True Depth hydraulic down force	●	●	●	●	●	●	●	●	●	●
Pneumatic down pressure	●	●	●	●	●	●	●	●	●	●
Row Unit Attachments (5000 Series Row Unit)										
Yetter air adjustable row cleaners (w or w/o no-till)	●	●	●	●	●	●	●	●	●	●
Spoked gauge wheels w/scrapers	●	●	●	●	●	●	●	●	●	●
Manual adjustable closing wheels	●	●	●	●	●	●	●	●	●	●
Air adjustable closing wheels	●	●	●	●	●	●	●	●	●	●
Row unit mounted no-till coulters (3/4" fluted, 13 or 25 wave)	●	●	●	●	●	●	●	●	●	●
Residue wheels, coulter mtd w/ treader wheel	●	●	●	—	●	—	●	●	●	●
Granular chemical with hopper	●	●	●	●	●	●	●	●	●	●
Fertilizer										
Liquid fertilizer tanks	●	●	●	●	●	●	●	●	●	●
Dual on-board liquid fertilizer	●	●	●	●	●	●	●	●	●	●
Liquid fertilizer openers	●	●	●	—	—	—	●	●	●	●
Liquid fertilizer tube in-furrow	●	●	●	●	●	●	●	●	●	●
Liquid fertilizer rear drop tube	●	●	●	●	●	●	●	●	●	●
Diaphragm pump pkg w/manifolds	●	●	●	●	●	●	●	●	●	●
Auxiliary front hitch plumbing	●	●	●	●	●	●	●	●	●	●
Rear trailer hitch	●	●	●	—	●	—	●	●	●	●
Miscellaneous										
First camera - planter mounted	●	●	●	●	●	●	●	●	●	●
Add'l Cameras - (up to 3)	●	●	●	●	●	●	●	●	●	●
LED Auxiliary work light package	●	●	●	●	●	●	●	●	●	●

DIMENSIONS AND WEIGHTS - 5000 SERIES

	5900			5700		
	24R 30"	16R 30"	12R 30"	36R 20"	24R 30"	24R 20"
Length						
Planting - bulk fill hoppers	30' 8" ¹	23' 4" ¹	20' 9" ¹	30' 1"	30' 1"	25' 4"
Transport - bulk fill hoppers	45' 5" ¹	35' 6" ¹	30' 10" ¹	43' 2"	43' 2"	34' 4"
Width						
Planting - bulk fill hoppers	61' 11"	42' 9"	33' 2"	60' 10"	60' 10"	42'
Transport - bulk fill hoppers	11' 8"	11' 8"	11' 8"	16' 2"	16' 2"	16' 2"
Height						
Planting - bulk fill hoppers	9' 5"	8' 7"	8' 11"	10' 4"	10' 4"	9' 8"
Transport - bulk fill hoppers	12' 4" ²	11' 8" ³	11' 6" ³	12' 4"	12' 4"	12' 4"
Weight (empty)						
Base machine - bulk fill hoppers ⁸	31,525-34,400 lbs.	21,490-22,300 lbs.	17,060-18,000 lbs.	32,000-37,400 lbs.	30,000-34,820 lbs.	26,460-27,210 lbs.
Hitch - bulk fill hoppers	11,120 lbs. ⁴	8,160 lbs.	5,380 lbs.	9,620 lbs.	8,000 lbs.	6,250 lbs.

	5670			
	16R 30"	12R 30"	31R 15"	23R 15"
Length				
Planting - bulk fill hoppers	25' 10"	22' 6"	25' 10"	22' 6"
Transport - bulk fill hoppers	47' 2"	37' 2"	47' 2"	37' 2"
Width				
Planting - bulk fill hoppers	40' 9"	30' 11"	40' 9"	30' 11"
Transport - bulk fill hoppers	11' 4"	11' 4"	11' 4"	11' 4"
Height				
Planting - bulk fill hoppers	8' 7"	8' 7"	8' 7"	8' 7"
Transport - bulk fill hoppers	13' 1"	13' 1"	13' 1"	13' 1"
Weight (empty)				
Base machine - bulk fill hoppers	24,600 lbs.	17,800 lbs.	28,580 lbs.	20,720 lbs.
Hitch - bulk fill hoppers	3,616 lbs.	3,043 lbs.	4,205 lbs.	3,544 lbs.

NOTE: Specifications dependent on how the machine is equipped (meters, drives, hoppers, etc.)

1. Add 2' 9" to length with drawbar hitch; add 1' 2" to length for 2-point hitch
2. Includes row markers, flip axle and fertilizer
3. Includes row markers and fertilizer
4. Hitch weight reduced by 1,500 lbs when flip axle is engaged (may vary with other installed options)

FEATURES AND OPTIONS - 3005 SERIES

● = Standard ● = Optional

Features and options*	3605	3505	3205	3005
Planter frame and toolbar	Pivot fold	Pivot fold	Wing fold	Rigid
Sections	3	1	2	1
Flexibility	Wing flex 7° up / 7° down	Rigid	Center flex 13° up / 13° down	Rigid
Split rows	●	●	—	●
Even row split row	●	●	—	—
Row markers	●	●	●	●
Hydraulic weight transfer (active hydraulic weight transfer w/bulk fill scale and Blue Drive)	●	—	—	—
CAT 4 drawbar with articulating swivel hitch	●	—	—	—
2-point hitch	●	●	—	—
Clevis hitch	—	●	●	●
Gear PTO Hydraulic pump (standard with Blue Drive)	●	●	—	—
Transmission and drive system				
Blue Drive electric drive	—	●	—	—
Hydraulic drive	●	—	—	—
Ground contact drive	●	●	●	●
Seed handling				
Bulk fill hoppers - total capacity	80 bu.	50 bu.	—	—
Bulk fill scale package	● (with Ag Leader Controls Only)	● (Blue Drive)	—	—
Row unit hoppers - 1.9 bu.	●	●	●	●
Displays and controls				
Blue Vantage display (standard with Blue Drive)	—	●	—	—
Ag Leader InCommand Go	●	●	●	—
Ag Leader electronics package	●	●	●	—
KPM III electronic seed monitor	●	●	●	●
Ag Leader 7500 GPS receiver	●	●	●	—
Electric single row clutches	●	●	●	—
Metering				
True Speed high speed meter	—	●	—	—
True Rate vacuum meter	●	●	●	—
Mechanical Meters (Brush 2.0 or Finger pick-up)	●	●	●	●
Down pressure				
True Depth hydraulic down force	—	●	—	—
Pneumatic down pressure	●	●	—	—
Heavy duty down pressure springs	●	●	●	●
Row Unit Attachments (3005 Series Row Unit)				
Spoked gauge wheels	●	●	●	●
Closing wheels (Cast iron, Rubber V, Spiked)	●	●	●	●
Row unit mounted no-till coulters (3/4" fluted, 13 or 25 wave)	●	●	●	●
Residue wheels, coulter mtd w/treader wheel	●	●	●	●
Granular chemical with hopper	●	●	●	●
Fertilizer				
Liquid fertilizer tanks	●	●	●	●
Dry fertilizer packages	●	●	—	●
Notched single disc opener package	●	●	●	●
Heavy-duty single disc opener package	●	●	●	●
Liquid fertilizer tube in-furrow	●	●	●	●
Liquid fertilizer piston pump pkgs	●	●	●	●
Miscellaneous				
Cameras - planter mounted (up to 4)	—	●	—	—
LED Auxiliary work light package	●	●	—	—
Rear trailer hitch	●	●	—	—

DIMENSIONS AND WEIGHTS - 3005 SERIES

	3605		3505	
	16R 30"	12R 30"	8R 30"	6R 30"
Length				
Planting - row unit hoppers	24' 0"	21' 0"	19' 8"	19' 8"
Planting - bulk fill hoppers	24' 0"	21' 0"	19' 8"	–
Transport - row unit hoppers	46' 10"	36' 10"	26' 5"	23' 9"
Transport - bulk fill hoppers	46' 10"	36' 10"	26' 5"	–
Width				
Planting - row unit hoppers	41' 2"	31' 2"	21' 10"	16' 10"
Planting - bulk fill hoppers	41' 2"	31' 2"	21' 10"	–
Transport - row unit hoppers	11' 2"	11' 2"	11' 2"	11' 2"
Transport - bulk fill hoppers	11' 2"	11' 2"	11' 2"	–
Height				
Planting - row unit hoppers	–	–	–	–
Planting - bulk fill hoppers	8' 2"	8' 2"	8' 0"	–
Transport - row unit hoppers	11' 5"	11' 5"	10' 6"	10' 6"
Transport - bulk fill hoppers	12' 6"	12' 6"	12' 0"	–
Weight (empty)				
Base machine - row unit hoppers	23,033 lbs.	18,180 lbs.	5,886-6,269 lbs.	5,163-5,443 lbs.
Base machine - bulk fill hoppers	24,033 lbs. ¹	19,180 lbs. ¹	6,919-11,520 lbs.	–
Hitch - row unit hoppers	–	–	–	–
Hitch - bulk fill hoppers	–	–	2,260 lbs (with Split Rows)	–

	3205		3005	
	12R 30"	8R 30"	6R 30"	4R 30"
Length				
Planting - row unit hoppers	17' 9"	11' 4" / 13' 8" ²	11' 4" / 13' 8" ²	11' 4" / 13' 8" ²
Transport - row unit hoppers	17' 9"	11' 4" / 13' 8" ²	11' 4" / 13' 8" ²	11' 4" / 13' 8" ²
Width				
Planting - row unit hoppers	31' 4"	21' 10"	17' 8"	12' 8"
Transport - row unit hoppers	16' 2"	21' 10"	17' 8"	12' 8"
Height				
Planting - row unit hoppers	–	–	–	–
Transport - row unit hoppers	9' 1"	–	–	–
Weight (empty)				
Base machine - row unit hoppers	7,500-8,066 lbs.	4,874-5,548 lbs.	3,864-4,398 lbs.	2,538-2,948 lbs.

NOTE: Specifications dependent on how the machine is equipped (meters, drives, hoppers, etc.)

1. Typical configuration (split row, marker)
2. With double-frame